

PROPOSED

SENATE AMENDMENTS TO H.B. 2143

(Reference to House engrossed bill)

1 Strike everything after the enacting clause and insert:

2 "Section 1. Section 49-204, Arizona Revised Statutes, is amended to
3 read:

4 49-204. Gray water reuse; residential standards; rules

5 A. A city, town or county may not ~~further~~ limit the use of gray
6 water by rule or ordinance ~~if the gray water use is allowed by a permit~~
~~that is issued by the department for the direct reuse of reclaimed water,~~
7 unless, in an initial active management area that has a groundwater
8 management goal of safe yield and that does not contain a part of the
9 central Arizona project aqueduct, effluent has been included in an assured
10 water supply determination pursuant to section 45-576 and the use of gray
11 water would reduce the volume of effluent available to satisfy assured
12 water supply requirements applicable to that determination.

13 B. FOR RESIDENTIAL GRAY WATER TREATMENT SYSTEMS THAT ARE USED
14 INDOORS FOR TOILET FLUSHING, THE DIRECTOR MAY ESTABLISH BY RULE MINIMUM
15 REQUIREMENTS THAT ARE NECESSARY SPECIFICALLY TO ADDRESS PUBLIC HEALTH OR
16 SAFETY CONCERNs.

17 C. UNTIL RULES ARE ADOPTED PURSUANT TO SUBSECTION B OF THIS SECTION,
18 RESIDENTIAL GRAY WATER MAY BE USED INDOORS FOR TOILET FLUSHING WITH A GRAY
19 WATER TREATMENT SYSTEM THAT COMPLIES WITH ALL OF THE FOLLOWING:

- 20 1. USES LESS THAN FOUR HUNDRED GALLONS OF GRAY WATER PER DAY.
- 21 2. IS CERTIFIED TO MEET STANDARD 350 FOR RESIDENTIAL GRAY WATER
22 RECYCLING THAT IS ISSUED BY A NATIONAL SANITARY FOUNDATION AND AN AMERICAN
23 NATIONAL STANDARDS INSTITUTE.

1 3. REASONABLY PRECLUDES HUMAN CONTACT WITH GRAY WATER.

2 4. PROVIDES A DEDICATED PIPING SYSTEM THAT SUPPLIES ONLY TREATED
3 GRAY WATER TO THE TOILET FLUSHING FACILITIES.

4 5. PROVIDES GRAY WATER FOR TOILET FLUSHING ONLY IF THE SYSTEM IS
5 PROPERLY FUNCTIONING.

6 D. ANY RESIDENTIAL GRAY WATER TREATMENT SYSTEM THAT IS INSTALLED
7 AFTER THE EFFECTIVE DATE OF RULES ADOPTED PURSUANT TO SUBSECTION B OF THIS
8 SECTION AND THAT INCLUDES THE USE OF GRAY WATER FOR INDOOR TOILET FLUSHING
9 SHALL MEET THE MINIMUM REQUIREMENTS THAT ARE ESTABLISHED BY THOSE RULES."

10 Amend title to conform

SINE KERR

2143KERR.docx
03/21/2023
11:50 AM
C: MR